



Correction: Strongly coloured thiocyanate frameworks with perovskite-analogue structures

Cite this: *Chem. Sci.*, 2020, **11**, 12590

Matthew J. Cliffe,^{*a} Evan N. Keyzer,^a Matthew T. Dunstan,^a Shahab Ahmad,^b Michael F. L. De Volder,^b Felix Deschler,^c Andrew J. Morris^d and Clare P. Grey^{*a}

DOI: 10.1039/d0sc90255a

rsc.li/chemical-science

Correction for 'Strongly coloured thiocyanate frameworks with perovskite-analogue structures' by Matthew J. Cliffe *et al.*, *Chem. Sci.*, 2019, **10**, 793–801, DOI: 10.1039/C8SC04082F.

The figure caption for Fig. 1c contains a minor typographical error. The corrected caption for Fig. 1 is outlined below.

Fig. 1 Crystal structure of Fe[Bi(SCN)₆] in (a) ORTEP and (b) polyhedral representations. Atoms are coloured as follows Bi, purple; Fe, brown; S, yellow; C, black and N, blue. (c) The periodic table coloured by whether the homoleptic metal hexathiocyanate anion is known. If [M(NCS)₆]ⁿ⁻ is known in the CSD or ICSD structural database, the element is coloured indigo, if [M(SCN)₆]ⁿ⁻ is known, it is coloured orange, if both are known, it is coloured green.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Chemistry, University of Cambridge, Lensfield Road, Cambridge CB2 1EW, UK. E-mail: mjc222@cam.ac.uk; cpg27@cam.ac.uk

^bInstitute for Manufacturing, Department of Engineering, University of Cambridge, 17 Charles Babbage Road, Cambridge CB3 0FS, UK

^cDepartment of Physics, University of Cambridge, JJ Thomson Ave, Cambridge CB3 0HE, UK

^dSchool of Metallurgy and Materials, University of Birmingham, Edgbaston, Birmingham, B15 2TT, UK

